

# Hybrid Control for Connectivity Preserving Flocking

Michael M. Zavlanos, *Student Member, IEEE*, Herbert G. Tanner, *Senior Member, IEEE*,  
Ali Jadbabaie, *Member, IEEE*, and George J. Pappas, *Fellow, IEEE*

**Abstract**—In this note, we address the combined problem of motion and network topology control in a group of mobile agents with common objective the flocking behavior of the group. Instead of assuming network connectivity, we enforce it by means of distributed topology control that decides on both deletion and creation of communication links between agents, adapting the network to the group’s spatial distribution. With this protocol ensuring network connectivity, a decentralized motion controller aligns agent velocity vectors and regulates inter-agent distances to maintain existing network links. The stability of the flocking controller is established in continuous time by means of an observability argument on a quadratic form of the graph Laplacian that exploits the time delay between link deletion and creation caused by the topology control protocol, which induces a dwell time between network switches.

**Index Terms**—Multi-agent systems, cooperative control, hybrid systems, algebraic graph theory.

## I. INTRODUCTION

Existing results on distributed consensus and flocking algorithms critically rely on maintaining a connected communication network among the agents, either for all time (as in [1], [2], [3]) or over sequences of bounded time intervals (as in [4], [5], [6]). In this paper, we relax this assumption and propose a distributed control framework that guarantees velocity alignment, cohesion, separation, *and* connectivity of the networked multi-agent system, by construction.

Inspired by the flocking and schooling phenomena observed in nature are many recent applications in control theory and robotics. Any attempt to list related references in this note is bound to be partial and incomplete, hence, we rather focus on work that emphasizes on the *connectivity* aspect of networked dynamical systems. In [7], network connectivity is maintained by means of potential fields that guarantee positive definiteness of the second smallest eigenvalue of the graph Laplacian matrix, while in [8] a measure of local connectedness of a network is introduced that under certain conditions is sufficient for global connectedness. Distributed maintenance of nearest neighbor links by means of unbounded “edge tension” functions is addressed in [9], where a control hysteresis is also introduced to avoid infinite control inputs when new links are about to be inserted to the network. Similarly, in [10] a system of interconnected unicycles is steered to a common configuration by means of nonsmooth, potential-based control inputs that turn unbounded when the distance between adjacent agents approaches a certain threshold. Invariance of the level sets of an appropriate function ensures that initially established links will be preserved along the system’s trajectories.

In this note, we address the problem of velocity synchronization in a network of  $n$  interconnected agents, while maintaining connectivity of the underlying proximity-based graph and ensuring collision avoidance among the agents. Unlike previous approaches, our proposed framework allows switching among connected network

The work of the first, third and fourth author is partially supported by ARO MURI SWARMS Grant W911NF-05-1-0219 and the NSF ITR Grant 0324977. The work of the second author is supported by the NSF Grant 0447898.

Michael M. Zavlanos, Ali Jadbabaie and George J. Pappas are with the GRASP Laboratory, Department of Electrical and Systems Engineering, University of Pennsylvania, Philadelphia, PA 19104, USA. {zavlanos, jadbabai, pappasg}@grasp.upenn.edu Herbert G. Tanner is with the Department of Mechanical Engineering, University of Delaware, Newark, DE 19716, USA. btanner@udel.edu




Fig. 1. Partitioning of the neighborhood of an agent according to its ability to communicate and the requirement to avoid collisions. Regions where communication links are established or lost are qualitatively associated to signal strength, ranging from strong to weak and no signal at all. The innermost disk marks the area around agent  $i$  where collision avoidance maneuvers are initiated. Note a region of width  $\epsilon > 0$  between the areas where links can be added or deleted, which introduces a dwell time  $\tau > 0$  between any changes in the network topology. The dashed line shows the path of agent  $j$ , and the solid lines indicate a link between agents  $i$  and  $j$ .

topologies that are due to both addition, as well as *deletion* of communication links between agents. As in [3] the dynamics of an agent are expressed by a double integrator

$$\dot{x}_i(t) = v_i(t) \quad (1a)$$

$$\dot{v}_i(t) = u_i(t) \quad (1b)$$

where  $x_i(t), v_i(t) \in \mathbb{R}^m$  denote the position and velocity vectors of agent  $i$  at time  $t$ , respectively, and  $u_i(t) \in \mathbb{R}^m$  is a *switching* control input that relies exclusively on nearest neighbor information. Unlike [3], the switching signal (set of neighbors) can be also controlled in the discrete space of graphs as in [11], and combined with the continuous agent motion, it gives rise to a closed loop multi-agent hybrid system. Under the assumption that the communication network is *initially* connected, the overall system is shown to always stabilize to an equilibrium characterized by fixed inter-agent distances and aligned agent velocities. Our convergence results rely on recent work on the stability of switched systems [12] and essentially complete the *safety*, namely connectivity control, results employed from [11] with *liveness* guarantees. Collision avoidance is also guaranteed.

## II. PROBLEM FORMULATION

Consider a network of  $n$  agents in  $\mathbb{R}^m$  with integrated wireless communication capabilities and denote by  $(i, j)$  a communication link between agents  $i$  and  $j$ . We assume that such links can be enabled and disabled in time due to agent mobility and/or control decisions and, as in [13], we employ proximity graphs to represent the agents’ communication network. Motivation for relating the agents’ ability to establish communication links to the distance between them comes from the fact that radio signal strength attenuates with distance, with the probability of a successful transmission rapidly decreasing beyond a certain threshold. To capture such radio signals, we propose




Fig. 2. The artificial potential function  $\varphi_{ij}(x_{ij})$ . The function is symmetric with respect to  $x_i$  and  $x_j$ , and when bounded, it guarantees both collision avoidance for  $\|x_{ij}\|_2 \rightarrow 0$  and edge preservation for  $\|x_{ij}\|_2 \rightarrow R$ . Here, the function is plotted for  $r = 0.15$ ,  $R = 0.5$ , and  $\epsilon = 0.05$ .

a rather *qualitative* model for the communication network, where new communication links can be established only between agents whose distance becomes smaller than some threshold  $R > 0$ . Beyond that threshold, we assume there is considerable uncertainty over the agents' ability to successfully communicate, hence, communication links are lost. On the other hand, to avoid collisions, agents are not supposed to get too close to each other. Once their distance falls below a threshold  $r > 0$ , collision avoidance maneuvers must be initiated. The proposed dynamic network is illustrated in Fig. 1 and can be formally captured by a *dynamic proximity graph*  $\mathcal{G}(t) = (\mathcal{V}, \mathcal{E}(t))$ , where  $\mathcal{V} = \{1, \dots, n\}$  denotes the set of vertices indexed by the set of agents and  $\mathcal{E}(t) \subseteq \mathcal{V} \times \mathcal{V}$  denotes the time varying set of links, such that for constants  $r$ ,  $R$ , and  $\epsilon$  satisfying  $0 < 2r < R$  and  $0 < \epsilon/2 < \min\{R - 2r, r\}$ , we have:

- if  $\|x_{ij}(t)\|_2 \in [0, r)$ , then  $(i, j) \in \mathcal{E}(t)$ ;
- if  $(i, j) \notin \mathcal{E}(t)$  and  $\|x_{ij}(t)\|_2 \in [r, R - r - \epsilon/2)$ , then  $(i, j)$  is a candidate link to be *added* to  $\mathcal{E}(t)$ ;
- if  $\|x_{ij}(t)\|_2 \in [R - r - \epsilon/2, R - r + \epsilon/2)$ , then  $(i, j)$  preserves its membership status in  $\mathcal{E}(t)$  (no addition or deletion);
- if  $(i, j) \in \mathcal{E}(t)$  and  $\|x_{ij}(t)\|_2 \in [R - r + \epsilon/2, R)$ , then  $(i, j)$  is a candidate link to be *deleted* from  $\mathcal{E}(t)$ ;
- if  $\|x_{ij}(t)\|_2 \in [R, \infty)$ , then  $(i, j) \notin \mathcal{E}(t)$ ;

where  $x_{ij}(t) \triangleq x_i(t) - x_j(t)$ . We assume *undirected* networks  $\mathcal{G}(t)$ , where communication links are bidirectional, i.e.,  $(i, j) \in \mathcal{E}(t)$  if and only if  $(j, i) \in \mathcal{E}(t)$ . Any vertices  $i$  and  $j$  of an undirected graph  $\mathcal{G}(t)$  that are joined by a link  $(i, j) \in \mathcal{E}(t)$ , are called *adjacent* or *neighbors* at time  $t$ . Hence, we can define the set of neighbors of agent  $i$  at time  $t$ , by  $\mathcal{N}_i(t) \triangleq \{j \in \mathcal{V} \mid (i, j) \in \mathcal{E}(t)\}$ . If  $\mathcal{G}(t)$  is such that there exists a path, i.e., a sequence of distinct vertices such that consecutive vertices are adjacent, between any two of its vertices, then we say that  $\mathcal{G}(t)$  is *connected*.

Given any dynamic proximity graph  $\mathcal{G}(t) = (\mathcal{V}, \mathcal{E}(t))$  consisting of  $n$  mobile agents as in (1), define the set of control laws

$$u_i(t) \triangleq - \sum_{j \in \mathcal{N}_i(t)} (v_i(t) - v_j(t)) - \sum_{j \in \mathcal{N}_i(t)} \nabla_{x_i} \varphi_{ij}(t) \quad (2)$$

where  $\varphi_{ij}(t)$  is the artificial potential function (Fig. 2)

$$\varphi_{ij}(x_{ij}) \triangleq \begin{cases} \|x_{ij}\|_2^{-2} + P_1(x_{ij}), & \|x_{ij}\|_2 \in (0, r] \\ 0, & \|x_{ij}\|_2 \in (r, R - r) \\ \frac{1}{R^2 - \|x_{ij}\|_2^2} + P_2(x_{ij}), & \|x_{ij}\|_2 \in [R - r, R) \end{cases}, \quad (3)$$

where  $P_k(x_{ij}) \triangleq a_k \|x_{ij}\|_2^2 + b_k \|x_{ij}\|_2 + c_k$  with  $k = 1, 2$ , for appropriate constants  $a_k$ ,  $b_k$  and  $c_k$  so that the derivatives of  $\varphi_{ij}$  up to second order are continuous in  $(0, R)$ , i.e., for  $\|x_{ij}\|_2 \in [r, R - r]$




Fig. 3. Control challenges requiring knowledge of the network structure. Without such knowledge, deletion of a link  $(i, j)$  can either violate connectivity (right) or not (left).

they satisfy  $\varphi_{ij}(x_{ij}) = \frac{\partial \varphi_{ij}}{\partial \|x_{ij}\|_2} = \frac{\partial^2 \varphi_{ij}}{\partial \|x_{ij}\|_2^2} = 0$ . Hence, the problem addressed in this note can be stated as follows.

*Problem 1 (Connectivity Preserving Flocking):* Given an initially connected network  $\mathcal{G}(t_0)$  consisting of  $n$  agents described by (1)–(2), determine local controllers  $\mathcal{N}_i(t)$  so that the overall dynamic network  $\mathcal{G}(t)$  is connected for all time, all agent velocities are aligned and collisions among the agents are avoided.

To obtain local controllers  $\mathcal{N}_i(t)$  that guarantee invariance of the whole mobile network  $\mathcal{G}(t)$  with respect to connectivity, we choose an equivalent algebraic representation of a dynamic graph  $\mathcal{G}(t) = (\mathcal{V}, \mathcal{E}(t))$  using the *laplacian matrix*

$$L(t) \triangleq \Delta(t) - A(t), \quad (4)$$

where  $A(t) = (a_{ij}(t))$  corresponds to the *adjacency matrix* of the graph  $\mathcal{G}(t)$ , such that  $a_{ij}(t) = 1$  if  $(i, j) \in \mathcal{E}(t)$  and  $a_{ij}(t) = 0$  otherwise, and  $\Delta(t) = \text{diag}(\sum_{j=1}^n a_{ij}(t))$  denotes the *valency matrix*.<sup>1</sup> The spectral properties of the laplacian matrix are closely related to graph connectivity. In particular, if  $\lambda_1(t) \leq \lambda_2(t) \leq \dots \leq \lambda_n(t)$  are the ordered eigenvalues of the laplacian matrix  $L(t)$ , then  $\lambda_1(t) = 0$  for all  $t$ , with corresponding eigenvector  $\mathbf{1}$ , and  $\lambda_2(t) > 0$  if and only if  $\mathcal{G}(t)$  is connected [14]. The above algebraic representation of a graph  $\mathcal{G}(t)$ , along with auction-based link deletions, leads to the desired distributed connectivity controllers  $\mathcal{N}_i(t)$  for Problem 1.

### III. DISTRIBUTED CONNECTIVITY CONTROL

Consider a dynamic graph  $\mathcal{G}(t) = (\mathcal{V}, \mathcal{E}(t))$  defined by the time varying set of edges  $\mathcal{E}(t)$ .<sup>2</sup> The goal in this section is to design *local* controllers that allow every agent to add or delete communication links with neighbors without violating connectivity of  $\mathcal{G}$ . As connectivity is a global graph property, it is necessary that every agent has sufficient knowledge of the network structure in order to safely delete a link with a neighbor (Fig. 3).<sup>3</sup> Such knowledge can be obtained through local *estimates* of the network topology (Sec. III-A), which, along with a *tie breaking* mechanism obtained by means of *gossip algorithms* and distributed *market-based* control (Sec. III-B), ensure connectivity even when combinations of multiple deletion requests could possibly violate it (Fig. 4).

<sup>1</sup>Since we do not allow self-loops, we define  $a_{ii}(t) = 0$  for all  $i$ .

<sup>2</sup>To simplify notation, we hereafter drop dependence on time  $t$ .

<sup>3</sup>Addition of links can only increase connectivity and does not introduce any significant challenge in controlling the topology of  $\mathcal{G}$ .



Fig. 4. Control challenges due to multiple link deletions. In the absence of an agreement protocol, simultaneous deletion of links  $(i, j)$  and  $(k, l)$  violates connectivity.

TABLE I

$a_{jk}^{[i]}$	$v_{jk}^{[i]}$	$a_{jk}^{[i]}$
1	1	0
1	0	1
0	1	1
0	0	0

### A. Local Estimates of the Network Topology

Let  $\mathcal{G}_i = (\mathcal{V}, \mathcal{E}_i)$  denote a local *estimate* of the global network  $\mathcal{G}$  that agent  $i$  can obtain using information from its nearest neighbors  $\mathcal{N}_i$ . Let also  $A_i = (a_{jk}^{[i]})$  denote the adjacency matrix associated with the graph  $\mathcal{G}_i$  and define its dynamics by<sup>4</sup>

$$A_i := \neg(A_i \leftrightarrow V_i), \quad (5)$$

where the control input  $V_i = (v_{jk}^{[i]}) \in \{0, 1\}^{n \times n}$  is such that  $v_{jk}^{[i]} = 1$  if a control action is taken to add or delete link  $(j, k)$  (Table I). It can be shown that the control input  $V_i$  can be decomposed into two disjoint components  $V_i^a$  and  $V_i^d$  regulating link *additions* and *deletions*, respectively, as [11]

$$V_i \triangleq \left( \underbrace{((\neg A_i \wedge (\bigvee_{j \in \mathcal{N}_i} A_j))}_{\text{new links provided by current neighbors}}) \vee \underbrace{(\neg A_i \wedge E_i)}_{\text{links with new neighbors}} \right) \wedge V_i^a \vee (A_i \wedge V_i^d),$$

where  $E_i = \bigvee_{j \neq i} (e_i e_j^T \vee e_j e_i^T)$ , and  $e_i$  is a column vector with all entries 0 except for the  $i$ -th entry that is 1. This results in the local network dynamics (5) being essentially a *consensus* (with inputs) on the adjacency matrix estimates  $A_i$ . In particular, for a fixed network topology (no inputs), the dynamics (5) reduce to

$$A_i := \bigvee_{j \in \mathcal{N}_i} (A_i \vee A_j),$$

which for local initialization of the estimates  $A_i$  with nearest neighbor links, provide every agent with a *rough* picture of the overall network.

### B. Controlling Addition and Deletion of Links

Regarding the controller  $V_i^a = (v_{jk}^{[i]a})$  that regulates link additions, we require that it captures all communication links that are known to agent  $i$ 's neighbors  $\mathcal{N}_i$  as well as all new links that agent  $i$  can create with agents  $j \notin \mathcal{N}_i$ , i.e.,

$$v_{jk}^{[i]a} \triangleq \underbrace{((j \neq i) \wedge (k \neq i))}_{\text{add all existing links provided by neighbors}} \vee \underbrace{(\|x_{jk}\|_2 \in [r, R - r - \epsilon/2])}_{\text{maintain current neighbors and add new neighbors}}, \quad (6)$$

Unlike link additions, deletion of nearest neighbor links is a challenging task. Although knowledge of the estimate  $\mathcal{G}_i$  allows every agent  $i$  to determine adjacent links that if deleted individually, preserve network connectivity (Fig. 3), it is not sufficient for dealing with simultaneous link deletions by multiple non-adjacent agents that may disconnect  $\mathcal{G}$  (Fig. 4). For this, we require that at most one link be deleted from  $\mathcal{G}$  at a time and employ an *auction-based* framework to achieve agreement of all agents regarding the link that is to be deleted (Alg. 1).

Initialization of an auction requires a set  $\mathcal{S}_i \in 2^{\mathcal{N}}$  of *safe* neighbors  $j \in \mathcal{N}_i^d \triangleq \{j \in \mathcal{N}_i \mid \|x_{ij}\|_2 \in [R - r + \epsilon/2, R)\}$  that if agent  $i$  deletes a link  $(i, j)$  with, then  $\mathcal{G}_i$  remains connected. For any  $j \in \mathcal{S}_i$ , agent  $i$  initializes a request  $r_i \triangleq [i \ j \ b]^T \in \mathbb{R}^3$  containing the

<sup>4</sup>The symbols  $\neg$ ,  $\wedge$ ,  $\vee$ ,  $\rightarrow$  and  $\leftrightarrow$  stand for the boolean operators NOT, AND, OR, IF, THEN and IF AND ONLY IF, respectively (in the case of matrices, they are applied elementwise on their entries). The discrete time semantics in Eqn. 5 are associated with discrete communication time instances between adjacent agents (Sec. V).

### Algorithm 1 Link deletion controller for agent $i$

**Require:**  $\mathcal{S}_i := \{j \in \mathcal{N}_i^d \mid \lambda_2(\mathcal{E}_i \setminus \{(i, j)\}) > 0\}$ ;

**Require:**  $r_i \triangleq [i \ j \ b]^T$  and  $T_i := e_i$ ;

```

1: if  $\bigwedge_{j=1}^n T_{ij} = 0$  then
2:    $r_i := r_j$ , where  $j = \max\{\text{argmax}_{k \in \mathcal{N}_i} \{r_{i3}, r_{k3}\}\}$ ;
3:    $T_i := T_i \vee (\bigvee_{j \in \mathcal{N}_i} T_j)$ ;
4: else if  $\bigwedge_{j=1}^n T_{ij} = 1$  and  $r_{i3} > 0$  then
5:    $v_{jk}^{[i]d} := ((r_{i1}, r_{i2}) = (j, k))$ ;
6: else if  $\bigwedge_{j=1}^n T_{ij} = 1$  and  $r_{i3} = 0$  then
7:    $v_{jk}^{[i]d} := 0$  for all  $j, k$ ;
8: end if

```

link  $(i, j)$  to be deleted and a bid  $b \geq 0$ , such that  $b > 0$  if  $\mathcal{S}_i \neq \emptyset$  and  $b = 0$  otherwise, indicating how “important” this request is.<sup>5</sup>

This request is propagated in the network, along with a vector of tokens  $T_i \in \{0, 1\}^n$ , initialized as  $T_i := e_i$ , indicating that agent  $i$  has placed its bid. During every auction, every agent  $i$  communicates with its neighbors and updates its vector of tokens  $T_i$  (line 3, Alg. 1), as well as its request  $r_i$  with the request  $r_j$  corresponding to the agent  $j$  that has placed the highest bid  $r_{j3}$ , i.e.,  $j \in \text{argmax}_{k \in \mathcal{N}_i} \{r_{i3}, r_{k3}\}$ . In case of ties on the bids, i.e., if  $\text{argmax}_{k \in \mathcal{N}_i} \{r_{i3}, r_{k3}\}$  contains more than one agents, then the agent  $j$  with the maximum label is selected (line 2, Alg. 1). Note that line 2 of Alg. 1 is essentially a maximum consensus update on the bids  $r_{i3}$  and will converge to a common outcome for all agents when all bids have been compared to each other, which is captured by the condition  $\bigwedge_{j=1}^n T_{ij} = 1$  (lines 4 and 6, Alg. 1). If at least one agent has placed a positive bid, i.e., if  $r_{i3} > 0$  (line 4, Alg. 1), then controller  $V_i^d = (v_{jk}^{[i]d})$  deletes the associated link  $(r_{i1}, r_{i2})$  from  $\mathcal{G}_i$  (line 5, Alg. 1). Otherwise, no link is deleted (line 7, Alg. 1).

*Remark 3.1 (Computational Complexity):* Computation of the spectrum of a matrix has worst case complexity  $O(n^3)$ , where  $n$  is the size of the matrix [15]. This complexity can be reduced to  $O(n)$  for sparse symmetric matrices [16], as is typically the laplacian matrix  $L(t)$  of large networks. Consequently, our approach is scalable to relatively large networks.

### C. Agent Synchronization

Communication time delays, packet losses, and the asymmetric network structure, may result in auctions starting asynchronously, outdated information being used for future decisions, and consequently, agents reaching different decisions for the same auction. In the absence of a common global clock, the desired synchronization is ideally *event triggered*, where by a triggering event we understand the time instant that a message  $\text{Msg}[i] \triangleq \{A_i, r_i, T_i\}$  has been received by any of agent  $i$ 's neighbors  $j \in \mathcal{N}_i$ . We achieve such a synchronization by labeling every auction in the set  $\{1, 2, 3\}$  and requiring that all information exchange takes place among neighbors that are in equally labeled auctions. Essentially, “fast” agents wait for their “slower” peers and, hence, all agents are always synchronized in the sequence  $\{1, 2, 3, 1, 2, 3, \dots\}$  (Fig. 5).

### D. Correctness

Correctness of the proposed distributed coordination framework is obtained by construction and is discussed in detail in the previous

<sup>5</sup>Letting  $b \geq 0$  be a function of the distance  $\|x_{ij}\|_2$ ,  $j \in \mathcal{S}_i$  or the size of the neighbor set  $|\mathcal{N}_i|$  can be associated with signal strength or power constraint properties of the overall network.




Fig. 5. Agent synchronization. Assume agent  $i$  is in auction 1. Necessary for agent  $i$  to transition to auction 2 is that all other agents are also in auction 1, since otherwise agent  $i$  will be missing tokens from the agents that are not in auction 1 yet (currently in auction 3) and Alg. 1 will not be able to converge. Once agent  $i$  transitions to auction 2, it initializes all variables for that auction with the latest values from auction 1, while it maintains the variables of auction 1 for agents that are still in auction 1 and it clears all variables of auction 3 since, no agent is in this auction any more [11].

subsections. Those ideas are summarized in the following result.<sup>6</sup>

*Theorem 3.2 (Correctness):* Assume an initially connected network  $\mathcal{G}$  of agents that are initialized with nearest neighbor information. Then, the proposed scheme for distributed addition and deletion of communication links guarantees that  $\mathcal{G}$  remains always connected.

*Proof:* The proof relies on the following observations:<sup>7</sup>

- All network estimates  $\mathcal{G}_i$  are spanning subgraphs of the overall network  $\mathcal{G}$ , i.e.,  $\mathcal{E}_i \subseteq \mathcal{E}$ , which implies that connectivity can be checked locally for  $\mathcal{G}_i$  and the results can be extended to  $\mathcal{G}$ .
- Agreement of all agents on the link that is to be deleted, is guaranteed by convergence of the max-consensus in Alg. 1.
- Points (a) and (b) above ensure that all agents agree on the link that is to be deleted and that this deletion does not violate connectivity. The synchronization scheme described in Sec. III-C ensures that no outdated information is used in any auction.

Consequently, links can be deleted continuously one-by-one, without destroying connectivity of the network. ■

#### IV. INTEGRATION WITH AGENT MOBILITY: VELOCITY ALIGNMENT & COLLISION AVOIDANCE

With the topology control component of Sec. III adding and deleting edges at will, the agent control law (2) experiences discontinuities, and induces a switching nonlinear closed loop dynamical system (1)–(2). Let  $t_p$  for  $p = 1, 2, \dots$  denote the *switching times* when the topology of  $\mathcal{G}(t)$  changes, and define a switching signal  $\mathcal{G}(t) : [0, \infty) \rightarrow \mathcal{G}_C$ , where  $\mathcal{G}_C$  denotes the set of all connected graphs on  $n$  vertices.<sup>8</sup> As discussed in Sec. III, the topology controller guarantees that the sequence of proximity graphs consists of connected graphs, while communication time delays (Sec. V) and the idle  $\epsilon$ -annulus between the regions where links can be added and deleted (Figs. 1 and 2), introduce a dwell time  $\tau > 0$  between transitions in the network topology  $\mathcal{G}(t)$ . Hence, we can now state our main result.

*Theorem 4.1 (Connectivity Preserving Flocking):* For the closed loop system (1)–(2), assume that  $\mathcal{G}(t_0) \in \mathcal{G}_C$  and  $t_p - t_{p-1} > \tau > 0$  for all switching times  $t_p > 0$ . Then,  $\mathcal{G}(t) \in \mathcal{G}_C$  for all  $t > 0$ , and  $\|x_{ij}(t)\|_2 > 0$  for all  $i, j \in \mathcal{V}$  and all  $t > 0$ . Moreover,  $v_i \rightarrow v_j$  as  $t \rightarrow \infty$ , for all  $i, j \in \mathcal{V}$ .

*Proof:* Let  $t_{p_1}, t_{p_2}, \dots$  denote an infinite subsequence of switching times such that the switching signal  $\mathcal{G}(t)$  in each of the intervals  $[t_{p_q}, t_{p_{q+1}})$  for  $q = 1, 2, \dots$  is the same. Denote the union of these intervals by  $\mathcal{Q}$  and for all time  $t \in \mathcal{Q}$ , let  $\hat{\mathbf{x}} \triangleq [\dots x_{ij}^T \dots]^T \in \mathbb{R}^{mn(n-1)/2}$ ,  $\mathbf{v} \triangleq [\dots v_i^T \dots]^T \in \mathbb{R}^{mn}$  and

<sup>6</sup>Implementation on a real robotic platform showed that our approach is also feasible as well as highly successful in enabling a network of robots to adapt to disturbances (95% packet loss using multi-cast *User Datagram Protocol* (UDP)) while maintaining network connectivity [17].

<sup>7</sup>Due to space limitations, a more rigorous proof is omitted. More details can be found in [11].

<sup>8</sup>Note that  $\mathcal{G}(t)$  is also a map from the real time-line to the set of graphs.

$\mathbf{u} \triangleq [\dots u_i^T \dots]^T \in \mathbb{R}^{mn}$  denote the stack vectors of the agent relative positions  $x_{ij} \in \mathbb{R}^m$ , velocity vectors  $v_i \in \mathbb{R}^m$  and control signals vectors  $u_i \in \mathbb{R}^m$ , respectively. Consider the dynamical system

$$\dot{\hat{\mathbf{x}}} = (B_K \otimes I_m) \mathbf{v} \quad (7a)$$

$$\dot{\mathbf{v}} = \mathbf{u}, \quad (7b)$$

where  $B_K$  is the incidence matrix of the complete proximity graph [14], and define the function  $\varphi_{\mathcal{G}} : \mathbb{R}^{mn(n-1)/2} \times \mathbb{R}^{mn} \rightarrow \mathbb{R}_+$  with<sup>9</sup>

$$\varphi_{\mathcal{G}} = \frac{1}{2} \left( \|\mathbf{v}\|_2^2 + \sum_{i=1}^n \sum_{j \in \mathcal{N}_i} \varphi_{ij} \right). \quad (8)$$

For any  $c > 0$ , let  $\Omega_{\mathcal{G}} = \{(\hat{\mathbf{x}}, \mathbf{v}) \in \mathbb{R}^{mn(n-1)/2} \times \mathbb{R}^{mn} | \varphi_{\mathcal{G}} \leq c\}$  denote the level sets of  $\varphi_{\mathcal{G}}$  and observe that (cf. [3])

$$\frac{1}{2} \sum_{i=1}^n \sum_{j \in \mathcal{N}_i} \dot{\varphi}_{ij} = \sum_{i=1}^n \sum_{j \in \mathcal{N}_i} \dot{x}_i^T \nabla_{x_i} \varphi_{ij}. \quad (9)$$

Eqn. 9 and the Kronecker product notation ( $\otimes$ ) simplifies the expression for  $\dot{\varphi}_{\mathcal{G}}$  to

$$\dot{\varphi}_{\mathcal{G}} = -\mathbf{v}^T (L_{\mathcal{G}} \otimes I_m) \mathbf{v}, \quad (10)$$

which is always nonpositive, since the laplacian  $L_{\mathcal{G}}$  is always positive semidefinite. Hence, for any signal  $\mathcal{G}$ , the level sets  $\Omega_{\mathcal{G}}$  are positively invariant, implying that for any  $(i, j) \in \mathcal{E}$ ,  $\varphi_{ij}$  remains bounded. On the other hand, if for some  $(i, j) \in \mathcal{E}$ ,  $\|x_{ij}\|_2 \rightarrow R$ , then  $\varphi_{ij}(x_{ij}) \rightarrow \infty$ . Thus, by continuity of  $\varphi_{\mathcal{G}}$  in its domain, it follows that  $\|x_{ij}\|_2 < R$ , for all  $(i, j) \in \mathcal{E}$  and  $t \in [t_{p_q}, t_{p_{q+1}})$ . In other words, all links in  $\mathcal{G}$  are maintained between switching times, and since  $\mathcal{G}(t_{p_q}) \in \mathcal{G}_C$  for  $q = 1, 2, \dots$ , we have that  $\mathcal{G}(t) \in \mathcal{G}_C$  for all  $t \in [t_{p_q}, t_{p_{q+1}})$ , hence, for all  $t \in \mathcal{Q}$ . A similar argument for the case where  $\|x_{ij}\|_2 \rightarrow 0$  can be used to establish collision avoidance.

Since the addition of an edge between agents  $i$  and  $j$  can occur only in the region where  $\|x_{ij}\|_2 \in [r, R - r - \epsilon/2)$ , such an event temporarily has no effect on the value of  $\sum_{i=1}^n \sum_{j \in \mathcal{N}_i} \varphi_{ij}$  (Fig. 2). In conjunction with (10) we conclude that  $\varphi_{\mathcal{G}(t_{p_q})} \geq \varphi_{\mathcal{G}(t_{p_{q+1}})}$ , so if  $\varphi_{\mathcal{G}(t_{p_1})}$  is bounded, so is  $\varphi_{\mathcal{G}(t_{p_q})}$  for all  $q = 1, 2, \dots$ . Moreover, the level sets of  $\Omega_{\mathcal{G}}$  are closed by continuity of  $\varphi_{\mathcal{G}}$  in its domain. Note now that

$$\begin{aligned} \Omega_{\mathcal{G}} &\subseteq \{\mathbf{v} | \|\mathbf{v}\|_2^2 \leq c\} \cap \left( \bigcap_{(i,j) \in \mathcal{E}} \{x_{ij} | \varphi_{ij} \leq c\} \right) \\ &= \{\mathbf{v} | \|\mathbf{v}\|_2^2 \leq c\} \cap \left( \bigcap_{(i,j) \in \mathcal{E}} \varphi_{ij}^{-1}([0, c]) \right) \triangleq \Omega. \end{aligned} \quad (11)$$

The velocity set  $\{\mathbf{v} | \|\mathbf{v}\|_2^2 \leq c\}$  is closed and bounded and hence, compact. Moreover, for all  $(i, j) \in \mathcal{E}$  the sets  $\varphi_{ij}^{-1}([0, c])$  are closed by continuity of  $\varphi_{ij}$  in the interval  $(0, R)$ . They are also bounded; to see this, suppose there exist indices  $i$  and  $j$  for which  $\varphi_{ij}^{-1}([0, c])$  is unbounded. Then, for any choice of  $N \in (0, R)$ , there exists an  $x_{ij} \in \varphi_{ij}^{-1}([0, c])$  such that  $\|x_{ij}\|_2 > N$ . Allowing  $N \rightarrow R$ , and given that  $\lim_{\|x_{ij}\|_2 \rightarrow R} \varphi_{ij} = \infty$ , it follows that for any  $M > 0$ , there is a  $N > 0$  such that  $\varphi_{ij} > M$ . If we pick  $M > c$  we reach a contradiction, since by definition  $x_{ij} \in \varphi_{ij}^{-1}([0, c]) = \{x_{ij} | \varphi_{ij}(x_{ij}) \leq c\}$ . Thus, all sets  $\varphi_{ij}^{-1}([0, c])$  are bounded and hence, compact. Therefore, the set  $\Omega$  is compact as an intersection of finite compact sets. It follows that  $\Omega_{\mathcal{G}}$  is also compact, as a closed subset of a compact set.

So far we have shown that the level sets  $\Omega_{\mathcal{G}}$  of  $\varphi_{\mathcal{G}}$  are both positively invariant and compact. The invariance of  $\Omega_{\mathcal{G}}$  implies that no collisions between agents occur. We now use these results to show that all agent velocities become asymptotically the same. Note first that compactness and positive invariance of  $\Omega_{\mathcal{G}}$  implies that

<sup>9</sup>We denote by  $\mathbb{R}_+$  the set  $[0, \infty)$ .




Fig. 6. The hybrid automaton  $\mathbb{T}_i \times \mathbb{A}_i \times \mathbb{N}_i$  of a mobile agent  $i$  that consists of the composition of a topology control  $\mathbb{T}_i$ , an auction  $\mathbb{A}_i$  and a navigation automaton  $\mathbb{N}_i$ .

$(\dot{\mathbf{x}}, \mathbf{v}) \in \mathbb{R}^{mn(n-1)/2} \times \mathbb{R}^{mn}$  remains bounded in every bounded time interval  $[t_{p_q}, t_{p_{q+1}})$  and, hence, in the union  $\mathcal{Q}$ . Moreover, since  $\varphi_{\mathcal{G}} \in C^2$  in its domain, the right-hand-side of (7) is locally Lipschitz, which implies that  $(\dot{\mathbf{x}}, \dot{\mathbf{v}})$  is also bounded in every bounded time interval  $[t_{p_q}, t_{p_{q+1}})$  and, hence, in the union  $\mathcal{Q}$ . This suggests that the quantity  $\mathbf{v}^T (L_{\mathcal{G}} \otimes I_m) \mathbf{v}$  is uniformly continuous in  $\mathcal{Q}$  [12]. Define the auxiliary function

$$y_{\mathcal{Q}}(t) \triangleq \begin{cases} \mathbf{v}^T (L_{\mathcal{G}} \otimes I_m) \mathbf{v}, & t \in \mathcal{Q} \\ 0, & \text{otherwise} \end{cases} \quad (12)$$


Since  $\varphi_{\mathcal{G}}(t_p) \leq \varphi_{\mathcal{G}}(t_{p-1})$  for any consecutive signals  $\mathcal{G}(t_{p-1}), \mathcal{G}(t_p) \in \mathcal{G}_C$ , characterized by simultaneous addition and deletion of links, and all switching times  $t_p$ , we have that

$$\int_0^t |y_{\mathcal{Q}}(s)| ds = \int_0^t y_{\mathcal{Q}}(s) ds \leq \varphi_{\mathcal{G}}(t_{p_1}) - \varphi_{\mathcal{G}}(t) \leq \varphi_{\mathcal{G}}(t_{p_1}),$$

which suggests that  $y_{\mathcal{Q}} \in \mathcal{L}_1$ . We now proceed to showing that  $y_{\mathcal{Q}}(t) \rightarrow 0$  as  $t \rightarrow \infty$ . Our argument is along the lines of [12]: suppose that this is not true. Then, there exists an  $\varepsilon > 0$  and an infinite sequence of times  $s_1, s_2, \dots$  such that the values  $y_{\mathcal{Q}}(s_1), y_{\mathcal{Q}}(s_2), \dots$  are bounded away from zero by at least  $\varepsilon$ . It follows from (12) that the times  $s_1, s_2, \dots$  necessarily belong to  $\mathcal{Q}$ . Since  $y_{\mathcal{Q}}$  is uniformly continuous, we can find a  $\delta > 0$  such that each  $s_i$  is contained in some interval of length  $\delta$ , on which  $y_{\mathcal{Q}}(t) \geq \varepsilon/2$ . (Recall that the length of each such interval in  $\mathcal{Q}$  is lower bounded by  $\tau > 0$ .) This contradicts the fact that  $y_{\mathcal{Q}} \in \mathcal{L}_1$ . Hence,  $y_{\mathcal{Q}}(t) \rightarrow 0$  as  $t \rightarrow \infty$ , which suggests that  $\mathbf{v} \rightarrow \mathbf{1} \otimes \zeta^T$  for some  $\zeta \in \mathbb{R}^m$ . This means that the corresponding components of agent velocities converge asymptotically to common values. ■


## V. THE CLOSED LOOP HYBRID AGENT

Integration of the discrete topology controllers described in Sec. III with the continuous motion controllers (1)–(2), give rise to a hybrid model  $\mathbb{T}_i \times \mathbb{A}_i \times \mathbb{N}_i$  for every agent  $i$ , consisting of a *topology control*  $\mathbb{T}_i$ , an *auction*  $\mathbb{A}_i$  and a *navigation* automaton  $\mathbb{N}_i$ , respectively [11] (Fig. 6). The topology controller of agent  $i$  updates its network estimate  $A_i$  with addition and deletion of links (Sec. III-A). For this, it requires the control input  $V_i^d$  that regulates link deletions, as well as the network estimates  $A_j$  of agent  $i$ 's neighbors in order to compute the control input  $V_i^a$  that regulates link additions (Sec. III-B). The control input  $V_i^d$  is provided by the auction controller and relies on the max-requests  $r_j$  and tokens  $T_j$  of agent  $i$ 's neighbors (Alg. 1). To capture the continuous agent motion, the navigation controller  $\mathbb{N}_i$  coordinates with the associated topology and auction controllers to obtain the agent's set of neighbors  $\mathcal{N}_i$ , which it uses, along with their positions  $x_j$  for  $j \in \mathcal{N}_i$ , to update its own position  $x_i$  (Eqns. 1 and 2). The updated agent positions are then provided to the topology controller that further updates agent  $i$ 's network estimate  $A_i$  and the resulting set of neighbors  $\mathcal{N}_i$ . Note that in the proposed



(a) Initial Conf.

(b)  $t_1 > 0$



(c)  $t_2 > t_1$

(d) Steady State

Fig. 7. Decentralized flocking of 30 agents with topology control. Dotted lines indicate communication links that are candidates for deletion.


hybrid system, all variables are considered *shared*, however, the only variables that are practically needed are the ones provided by every agent's neighbors, which guarantees the local nature of the proposed control framework.

## VI. SIMULATION RESULTS


We apply the proposed hybrid controller in coordination problems where connectivity of the network can not be trivially maintained. We consider  $n = 30$  agents in  $\mathbb{R}^2$ , symmetrically distributed on the perimeter of a unit circle, with initial velocities chosen randomly within the unit square and parameters  $r = 0.15$  and  $R = 0.5$ . The agents are denoted with dots, while the links between them are indicated by either solid or dashed lines, depending on whether the corresponding inter-agent distances are in the  $[0, R-r]$  or  $[R-r, R]$  region, respectively. Solid curves attached to every agent indicate the recently traveled paths, while arrows correspond to the agents' velocities (Fig. 7). Fig. 8(a)–8(c) show the evolutions with time (log-scale) of the Fiedler eigenvalue  $\lambda_2(t)$ , the auxiliary function  $y_{\mathcal{Q}}(t)$ , and the minimum distance  $\min_{i,j} \{\|x_{i,j}(t)\|_2\}$  between agents. One can clearly see that the network always remains connected, all agent velocities are asymptotically aligned and collisions among agents are always avoided, as desired.

## VII. CONCLUSION


In this note we offer a solution to the problem of producing flocking behavior in a group of mobile agents, without assuming network connectivity or forcing all initial links to be maintained over all time. By means of a distributed topology control protocol, all possible network links are subject to creation or deletion, depending on the spatial distribution of the agents at any given time instant. The discrete network protocol ensures connectivity of the dynamic



(a) The Fiedler eigenvalue.



(b) The auxiliary function.



(c) Minimum inter-agent distance.

Fig. 8. Decentralized flocking with topology control. Fig. 8(a) shows how the second smallest eigenvalue of the network's Laplacian varies in  $\mathbb{R}_+$ . The topology control protocol allows the network to change without being shattered. Fig. 8(b) verifies the prediction of the proof of Theorem 4.1 that the auxiliary function  $y_Q$  vanishes with time. Fig. 8(c) demonstrates the collision avoidance capabilities of (2).

network, as well as a hysteresis between topology changes, properties which a continuous decentralized motion controller exploits to guarantee velocity synchronization and collision avoidance. The two controllers are combined into a hybrid architecture, where topology control facilitates motion coordination, and motion control preserves the topology dictated by the discrete network controller.

#### REFERENCES

- [1] R. Olfati-Saber and R. M. Murray, "Consensus problems in networks of agents with switching topology and time-delays," *IEEE Transactions on Automatic Control*, vol. 49, no. 9, pp. 1520–1533, September 2004.
- [2] R. Olfati-Saber, "Flocking for multi-agent dynamic systems: Algorithms and theory," *IEEE Transactions on Automatic Control*, vol. 51, no. 3, pp. 401–420, March 2006.
- [3] H. G. Tanner, A. Jadbabaie, and G. J. Pappas, "Flocking in fixed and switching networks," *IEEE Transactions on Automatic Control*, vol. 52, no. 5, pp. 863–867, May 2007.
- [4] A. Jadbabaie, J. Lin, and A. S. Morse, "Coordination of groups of mobile autonomous agents using nearest neighbor rules," *IEEE Transactions on Automatic Control*, vol. 48, no. 6, pp. 988–1001, July 2002.
- [5] W. Ren and R. Beard, "Consensus seeking in multiagent systems under dynamically changing interaction topologies," *IEEE Transactions on Automatic Control*, vol. 50, no. 5, pp. 655–661, May 2005.
- [6] J. Lin, A. Morse, and B. Anderson, "The multi-agent rendezvous problem," in *Proc. 42nd IEEE Conference on Decision and Control*, Maui, HI, December 2003, pp. 1508–1513.
- [7] M. M. Zavlanos and G. J. Pappas, "Potential fields for maintaining connectivity of mobile networks," *IEEE Transactions on Robotics*, vol. 23, no. 4, pp. 812–816, August 2007.
- [8] D. P. Spanos and R. M. Murray, "Robust connectivity of networked vehicles," in *Proc. 43rd IEEE Conference on Decision and Control*, Paradise Island, Bahamas, December 2004, pp. 289–2898.
- [9] M. Ji and M. Egerstedt, "Distributed coordination control of multi-agent systems while preserving connectedness," *IEEE Transactions on Robotics*, vol. 23, no. 4, pp. 693–703, August 2007.
- [10] D. V. Dimarogonas and K. J. Kyriakopoulos, "Connectivity preserving state agreement for multiple unicycles," in *Proc. American Control Conference*, New York, NY, July 2007, pp. 1179–1184.
- [11] M. M. Zavlanos and G. J. Pappas, "Distributed connectivity control of mobile networks," *IEEE Transactions on Robotics*, vol. 24, no. 6, pp. 1416–1428, December 2008.
- [12] J. P. Hespanha, D. Liberzon, D. Angeli, and E. D. Sontag, "Nonlinear norm-observability notions and stability of switched systems," *IEEE Transactions on Automatic Control*, vol. 50, no. 2, pp. 154–168, February 2005.
- [13] J. Cortes, S. Martinez, and F. Bullo, "Robust rendezvous for mobile autonomous agents via proximity graphs in arbitrary dimensions," *IEEE Transactions on Automatic Control*, vol. 51, no. 8, pp. 1289–1298, August 2006.
- [14] C. Godsil and G. Royle, *Algebraic Graph Theory*. Springer-Verlag, New York, 2001.
- [15] G. H. Golub and C. F. V. Loan, *Matrix Computations*. Johns Hopkins University Press, 1996.
- [16] S.-T. Yau and Y. Y. Lu, "A new approach to sparse matrix eigenvalues," in *Proc. 1st IEEE Conference on Regional Aerospace Control Systems*, Westlake Village, CA, May 1993, pp. 132–137.
- [17] N. Michael, M. M. Zavlanos, V. Kumar, and G. J. Pappas, "Maintaining connectivity in mobile robot networks," in *Proc. 11th International Symposium on Experimental Robotics*, Athens, Greece, July 2008.